



NS300

Web Maintenance Console
004.42025



Login as INSTALLER

Users

PBX Configuration

1. Configuration

1. Slot

2. Portable Station

3. Option

4. Clock Priority

5. DSP Resources

2. System

3. Group

4. Extension

5. Optional Device

6. Feature

7. TRS

8. ARS

9. Private Network

10. CO & Incoming Call

11. Maintenance

UM Configuration

Network Service

Port Property - Virtual SIP Gateway **Cat SIP Connect 1 ID 02-XXX-XXXX / 5 Concurrent**

Select Provider Add Provider Trunk Adaptor

« Main Account Register NAT Option Calling Party Called Party Voice/FAX RTP/RTCP T.38 T.38 Option DSP »

No.	Shelf	Slot	Port	Connection	Connection Attribute	Trunk Property	Channel Attribute
	ALL				ALL	ALL	ALL
1	Virtual	1	1	INS	SIP Provider	Public	Basic channel
2	Virtual	1	2	INS	SIP Provider	Public	Additional channel for Slot 1 Ch 1
3	Virtual	1	3	INS	SIP Provider	Public	Additional channel for Slot 1 Ch 1
4	Virtual	1	4	INS	SIP Provider	Public	Additional channel for Slot 1 Ch 1
5	Virtual	1	5	OUS	SIP Provider	Public	Additional channel for Slot 1 Ch 1
6	Virtual	1	6	OUS	SIP Provider	Public	Not Used
7	Virtual	1	7	OUS	SIP Provider	Public	Not Used
8	Virtual	1	8	OUS	SIP Provider	Public	Not Used
9	Virtual	1	9	OUS	SIP Provider	Public	Not Used
10	Virtual	1	10	OUS	SIP Provider	Public	Not Used
11	Virtual	1	11	OUS	SIP Provider	Public	Not Used
12	Virtual	1	12	OUS	SIP Provider	Public	Not Used
13	Virtual	1	13	OUS	SIP Provider	Public	Not Used
14	Virtual	1	14	OUS	SIP Provider	Public	Not Used





NS300

Web Maintenance Console
004.42025



Login as INSTALLER

- Users
- PBX Configuration
 - 1. Configuration
 - 1. Slot**
 - 2. Portable Station
 - 3. Option
 - 4. Clock Priority
 - 5. DSP Resources
 - 2. System
 - 3. Group
 - 4. Extension
 - 5. Optional Device
 - 6. Feature
 - 7. TRS
 - 8. ARS
 - 9. Private Network
 - 10. CO & Incoming Call
 - 11. Maintenance
- UM Configuration
- Network Service

Port Property - Virtual SIP Gateway **Cat SIP Connect 1 ID 02-XXX-XXXX / 5 Concurrent**

Select Provider Add Provider Trunk Adaptor

« **Main** Account Register NAT Option Calling Party Called Party Voice/FAX RTP/RTCP T.38 T.38 Option DSP »

No.	Shelf	Slot	Port	SIP Server IP Address	SIP Server IP Address for Failover	SIP Server Port Number	SIP Service Domain (100 characters)	Subscr
	ALL							
1	Virtual	1	1	202.129.61.118		5165	catnextgen.com	
2	Virtual	1	2			5060		
3	Virtual	1	3			5060		
4	Virtual	1	4			5060		
5	Virtual	1	5			5060		
6	Virtual	1	6			5060		
7	Virtual	1	7			5060		
8	Virtual	1	8			5060		
9	Virtual	1	9			5060		
10	Virtual	1	10			5060		
11	Virtual	1	11			5060		
12	Virtual	1	12			5060		
13	Virtual	1	13			5060		
14	Virtual	1	14			5060		





NS300

Web Maintenance Console

004.42025



Login as INSTALLER

Users

PBX Configuration

1. Configuration

1. Slot

2. Portable Station

3. Option

4. Clock Priority

5. DSP Resources

2. System

3. Group

4. Extension

5. Optional Device

6. Feature

7. TRS

8. ARS

9. Private Network

10. CO & Incoming Call

11. Maintenance

UM Configuration

Network Service

Port Property - Virtual SIP Gateway **Cat SIP Connect 1 ID 02-XXX-XXXX / 5 Concurrent**

Select Provider Add Provider Trunk Adaptor

Main Account Register NAT Option Calling Party Called Party Voice/FAX RTP/RTCP T.38 T.38 Option DSP

No.	Shelf	Slot	Port	Connection	User Name (64 characters)	Authentication ID (64 characters)	Authentication Password (32 characters)
	ALL			ALL			
1	Virtual	1	1	INS	+662026 XXX	662026)@catnextgen.com	Password
2	Virtual	1	2	INS			
3	Virtual	1	3	INS			
4	Virtual	1	4	INS			
5	Virtual	1	5	OUS			
6	Virtual	1	6	OUS			
7	Virtual	1	7	OUS			
8	Virtual	1	8	OUS			
9	Virtual	1	9	OUS			
10	Virtual	1	10	OUS			
11	Virtual	1	11	OUS			
12	Virtual	1	12	OUS			
13	Virtual	1	13	OUS			



NS300

Web Maintenance Console

004.42025



Login as INSTALLER

Users

PBX Configuration

1. Configuration

1. Slot

2. Portable Station

3. Option

4. Clock Priority

5. DSP Resources

2. System

3. Group

4. Extension

5. Optional Device

6. Feature

7. TRS

8. ARS

9. Private Network

10. CO & Incoming Call

11. Maintenance

UM Configuration

Network Service

Port Property - Virtual SIP Gateway **Cat SIP Connect 1 ID 02-XXX-XXXX / 5 Concurrent**

Select Provider Add Provider Trunk Adaptor

Main Account Register NAT Option Calling Party Called Party Voice/FAX RTP/RTCP T.38 T.38 Option DSP

No.	Shelf	Slot	Port	Connection	Register Ability	Register Sending Interval (s)	Un-Register Ability when port INS	Regist (10)
	ALL			ALL	ALL		ALL	
1	Virtual	1	1	INS	Enable	3600	Disable	
2	Virtual	1	2	INS	Enable	3600	Enable	
3	Virtual	1	3	INS	Enable	3600	Enable	
4	Virtual	1	4	INS	Enable	3600	Enable	
5	Virtual	1	5	OUS	Enable	3600	Enable	
6	Virtual	1	6	OUS	Enable	3600	Enable	
7	Virtual	1	7	OUS	Enable	3600	Enable	
8	Virtual	1	8	OUS	Enable	3600	Enable	
9	Virtual	1	9	OUS	Enable	3600	Enable	
10	Virtual	1	10	OUS	Enable	3600	Enable	
11	Virtual	1	11	OUS	Enable	3600	Enable	
12	Virtual	1	12	OUS	Enable	3600	Enable	
13	Virtual	1	13	OUS	Enable	3600	Enable	
14	Virtual	1	14	OUS	Enable	3600	Enable	